CPSC 441 L01 COMPUTER NETWORKS

MIDTERM EXAM

Professor Carey Williamson Department of Computer Science University of Calgary

March 4, 2022

This is a CLOSED BOOK exam. Textbooks, notes, laptops, personal digital assistants, tablets, and cell phones are NOT allowed. However, **calculators are permitted**.

It is a 45 minute exam, with a total of 50 marks. There are 14 questions, and 8 pages (including this cover page). Please read each question carefully, and write your answers legibly in the space provided. You may do the questions in any order you wish, but please USE YOUR TIME WISELY.

When you are finished, please hand in your exam paper and sign out. Good luck!

Student Name: _____

Score: _____ / 50 =_____ %

Student ID: _____

Multiple Choice

Choose the best answer for each of the following 8 questions, for a total of 8 marks.

- 1 1. The main components of the Internet are:
 - (a) hosts
 - (b) links
 - (c) switches
 - (d) all of the above
 - (e) none of the above
- 1 2. File transfer is an example of a network application that is:
 - (a) delay-sensitive and loss-sensitive
 - (b) delay-sensitive and loss-tolerant
 - (c) delay-tolerant and loss-sensitive
 - (d) delay-tolerant and loss-tolerant
 - (e) none of the above
- 1 3. Which of the following protocols or applications is transaction-oriented?
 - (a) electronic mail (SMTP)
 - (b) file transfer (FTP)
 - (c) secure shell (ssh)
 - (d) Domain Name Service (DNS)
 - (e) video streaming (DASH)
- 1 4. Which one of the following is an email access protocol?
 - (a) DNS
 - (b) IMAP
 - (c) SMTP
 - (d) FTP
 - (e) two (but not all) of the above

- 1 5. Modern Web browsers achieve high performance on the Internet by:
 - (a) using persistent connections
 - (b) launching multiple connections in parallel
 - (c) exploiting Web object caching whenever possible
 - (d) all of the above
 - (e) none of the above
- 1 6. The data rate supported by dialup modems on the early Internet was:
 - (a) a few bits per second (bps)
 - (b) a few kilobits per second (kbps)
 - (c) a few Megabits per second (Mbps)
 - (d) a few Gigabits per second (Gbps)
 - (e) all of the above
- 1 7. The "best effort" service model provided by the Internet is an example of:
 - (a) time-division multiplexing
 - (b) frequency-division multiplexing
 - (c) code-division multiplexing
 - (d) space-division multiplexing
 - (e) statistical multiplexing
- 1 8. In the "Internet food chain", most residential customers deal with:
 - (a) an Internet Service Provider (ISP)
 - (b) an Internet Exchange Point (IXP)
 - (c) a backbone Network Service Provider (NSP)
 - (d) BGP peering agreements
 - (e) international peering agreements

Internet Protocol Stack

8 9. Use your knowledge of the Internet protocol stack to answer the following questions, by filling in the blanks with the appropriate word, phrase, or number.

(a) (1 mark)

The top-most layer of the Internet protocol stack is the _____ Layer.

The fundamental data unit exchanged at this layer is called a ______.

(b) (2 marks)

Whether connection-oriented or connection-less, the Transport Layer protocol must provide a means to ______ among many possible different network applications. In TCP and UDP, this is done using ______, which provide ______bit Transport Layer addresses for data delivery on an ______ basis.

(c) (2 marks)

At the Network Layer, the basic unit of information exchange is called a ______.

This layer operates on a _____ basis, dealing with issues such as internetworking, addressing, and routing.

The classic protocol used here is the _____, with _____bit NL addresses.

(d) (2 marks)

At the Data Link Layer, the two main types of links are _____ and _____.

This layer exchanges data units called _____, doing so on a _____ basis.

(e) (1 mark)

The Physical Layer supports the raw transmission of ______ via a network interface. One example of a transmission medium used at this layer is ______.

HyperText Transfer Protocol (HTTP)

4 10. Suppose that you are updating your silly HTTP proxy from Assignment 1 to replace the text string "Happy Birthday" on Web pages with "Happy Anniversary" instead. What changes (if any) would be needed in your code to do this, and why?

Networking Delays

- 6 11. Answer the following numerical questions. Please show your work.
 - (a) (2 marks) Suppose that former U of C Chancellor Dr. Robert Thirsk wants to download Floppy.jpg (1 MegaByte in size) from the CPSC 441 Web site, doing so from his home in Calgary. Assuming that his data rate for Internet downloads is 1.5 Mbps (Megabits per second), what is the transmission time for this file? (Recall that $T_{xmit} = \frac{L}{R}$)

(b) (2 marks) Suppose that Dr. Thirsk now wishes to upload Floppy.jpg to his astronaut colleagues on the moon, which is 385,000 km away. If the first bit of Floppy.jpg leaves his house at time 0.0 seconds, at what time does the first bit of Floppy.jpg arrive at the moon? (Recall that $T_{prop} = \frac{d}{s}$, and assume $s = 3 \times 10^8$ m/second)

(c) (2 marks) Assuming a single large packet containing all of Floppy.jpg (and minimal header info), and an upload speed of 1.5 Mbps, at what time would the final bit of Floppy.jpg arrive at the moon? And when would a one-bit acknowledgement be received back at his house?

Networking Concepts and Definitions

- 9 12. For each of the following pairs of technical terms, **define** each term, and **clarify** the key difference(s) between the two terms. Be clear and concise. If in doubt about your definition, feel free to supplement with a relevant example.
 - (a) (3 marks) "connection-oriented" and "connection-less"

(b) (3 marks) "TDM" and "FDM"

(c) (3 marks) "iterative DNS query" and "recursive DNS query"

Reliable Data Transfer (RDT)

13. Briefly describe each of the following generic protocols for Reliable Data Transfer (RDT). Do so by describing what assumptions they make, what mechanisms they use for RDT, why those mechanisms are needed, and how they work. Make sure to mention what state information is involved in each protocol, and where that state information is stored.

(a) (3 marks) RDT 2.0

7

(b) (4 marks) RDT 3.0

Transmission Control Protocol (TCP)

8 14. Suppose that you are uploading a 12 Megabyte video into D2L using TCP. Assume that each TCP data segment holds exactly 1 Kbyte of data, and that the headers are small. Processing times at both ends are negligible, but the *one-way* latency between you and D2L in Montreal is 20 milliseconds. The link transmission rate is 1 Gbps. Assume that the TCP connection is already established, and that the connection starts in the slow start phase with cwnd = 1 segment. Use your knowledge of TCP to answer the following:

(a) (2 marks) How long does it take to complete the first Round Trip Time (RTT) of DATA-ACK exchange in slow start? What is the throughput achieved at this point?

(b) (3 marks) Assuming no packet losses, how many RTT rounds does it take before reaching TCP's maximum window size of 64 KB? How many data segments would have been delivered by this point in time?

(c) (3 marks) If TCP operates loss-free at a maximum window size of 64 KB for the rest of the upload, what is the (approximate) average throughput that will be achieved?

*** THE END ***